

TECHNICAL DATA SHEET

TDS: TMQ6077

TEAMAC P101 BRUSHWASH THINNERS

600/Q607/7

DESCRIPTION:

Teamac P101 Brushwash Thinners is a specific hydro carbon solvent mixture.

RECOMMENDED USE:

Teamac P101 Brushwash Thinners is used as a brushwash and thinning agent for P101, High Performance Marine Gloss and High Performance Marine Varnish.

AVAILABILITY:

1 litre, 5 litre

FINISH:

N/A

COLOUR:

Clear thin liquid.

TYPICAL S.G. (SPECIFIC GRAVITY):

0.94 @ 20 °C

VOLUME SOLIDS:

N/A

WET FILM THICKNESS W.F.T

N/A

DRY FILM THICKNESS D.F.T

N/A

EXPECTED SPREADING RATE:

N/A

The practical spreading rate may be lower as this depends on factors such as the porosity and roughness of the surface to be painted and material losses during application.

TYPICAL VISCOSITY:

N/A

FLASH POINT:

42 °C (closed cup)

CURE TIME: @ RECOMMENDED D.F.T

Initial cure: N/A

Hard dry: N/A

Full cure: N/A

Low temperature and high humidity will adversely affect application, curing and performance of any coating.

POTLIFE:

Pot Life - Once the parts are mixed together the material has to be used within the time stated.

MINIMUM OVERCOATING TIME:

N/A

APPLICATION SPECIAL CONDITIONS:

N/A

VOC CONTENT:

N/A

VOC's (Volatile Organic Compounds) contribute to atmospheric pollution

APPLICATION DETAILS:

Application N/A
restrictions

Method: N/A

Thinner N/A
(Max vol):

Nozzle size: N/A

Nozzle N/A
pressure:

Cleaning N/A
solvent:

For further advice contact Teamac Technical Services on +44(0)1482 320194

The physical constants are subject to normal manufacturing tolerances.

"COVERING OUR CUSTOMERS' NEEDS SINCE 1908"

TEAMAC

Lockwood Street, Hull HU2 0HN

Tel.: +44(0)1482 320194. Fax: +44(0)1482 219266

Email: info@teamac.co.uk

www.teamac.co.uk

TEAMAC P101 BRUSHWASH THINNERS**600/Q607/7**

Recoat N/A
interval:

SURFACE PREPARATION:

N/A

MIXING INSTRUCTIONS:

N/A

APPLICATION CONDITIONS:

N/A

PRECEDING COAT:

N/A

SUBSEQUENT COAT:

N/A

REMARKS:

Flammability limits in air:- Lower - 0.6% by
volume Upper - 7% by
volume Vapour pressure:- 3.37 mbar @
20°C

HEALTH AND SAFETY:

See safety data sheet - SDS 10830

ISSUED:

08 October 2020

REVISION:

0

The information given in this data sheet is based on experience and is accurate to the best of our knowledge. No guarantee should be implied, however, as the conditions of use are beyond our control. This data sheet does not constitute a specification. In case of doubt as to the suitability of the product please contact our Technical Service Department on 01482 320194.

For further advice contact Teamac Technical Services on +44(0)1482 320194

The physical constants are subject to normal manufacturing tolerances.

"COVERING OUR CUSTOMERS' NEEDS SINCE 1908"

TEAMAC

Lockwood Street, Hull HU2 0HN

Tel.: +44(0)1482 320194. Fax: +44(0)1482 219266

Email: info@teamac.co.uk

www.teamac.co.uk